




# ANEXO 5

\*\*\*\*\*  
 Poligonal  
 \*\*\*\*\*

Fek - 0.180 t/cm<sup>2</sup>  
 Fyk - 5.000 t/cm<sup>2</sup>  
 ACO do tipo B  
 Vertices da Poligonal 4  
 c' = 4 cm  
 Barras na secao 29  
 Bitolas utilizadas  
 (1) 6.3 mm  
 (2) 8 mm  
 (3) 10 mm



Coordenadas dos Vertices da Poligonal  
 1( 0.00, 0.00) 2( 0.00, 25.00) 3(250.00, 25.00) 4(250.00, 0.00)  
 Coordenadas das Barras  
 1( 4.00, 4.00) 2( 24.00, 4.00) 3( 44.00, 4.00) 4( 64.00, 4.00)  
 5( 84.00, 4.00) 6(104.00, 4.00) 7(124.00, 4.00) 8(144.00, 4.00)  
 9(164.00, 4.00) 10(184.00, 4.00) 11(204.00, 4.00) 12(224.00, 4.00)  
 13(241.00, 4.00) 14(246.00, 4.00) 15(246.00, 12.50) 16(246.00, 21.00)  
 17(241.00, 21.00) 18(224.00, 21.00) 19(204.00, 21.00) 20(184.00, 21.00)  
 21(164.00, 21.00) 22(144.00, 21.00) 23(124.00, 21.00) 24(104.00, 21.00)  
 25( 84.00, 21.00) 26( 64.00, 21.00) 27( 44.00, 21.00) 28( 24.00, 21.00)  
 29( 4.00, 21.00)

